

DORMA XL - C[®]

New Contract Range



AFFORDABLE

ACCESSIBLE

RELIABLE

SAFE

FUNCTIONAL

Value for Money

Door Hardware

Door Closer - Surface Mounted	4
Door Closer with Slide Channel	5
Floor Spring	6
Double Action Door Accessories	7
Lever Handle	8
Lock	9
Euro Profile Cylinder (EPC)	11
Knob Lock	11
Pull Handle	12
Hinge	13
Door Accessories	14

Glass

Glass Door Package	16
Glass Door Accessories	18
Internal Glass Door Package - 1	21
Internal Glass Door Package - 2	22
Shower Fittings	24
Shower Seals & Accessories	31
Sliding Gear (Wooden Door Application)	34
Sliding Gear (Glass Door Application - without fixed panel)	35
Sliding Gear (Glass Door Application - with fixed panel)	36
Wall Connecting Profile	37
Sliding Shower System	38
Folding & Sliding (Wooden Door Application)	41
Accessories	46
Horizontal Sliding Wall (HSW)	47
Folding Sliding Wall (FSW)	48

Automatic Doors


Automatic Sliding Door Operator	49
Automatic Swing Door Assistant	51
Automatic Door Accessories	52

Spiders

Non Fin Type Spider	56
Fin Type Spider	57
Splice Plate, Fixed Bolt, Articulated Bolt	58


Cut-out Details

Glass Cut-out Details for all Products	59
--	----

Door Closer (Surface Mounted)**Door Closer surface mounted, EN2**


Finish : Silver
 Width of door : 900 mm
 Weight of door : 45 kgs
 Adjustable Closing & Latching speed

Ordering Code : XL - C 1000
Reference Code : 9127366

**Door Closer surface mounted, EN 3**

Finish : Silver
 Width of door : 950 mm
 Weight of door : 60 kgs
 Adjustable Closing & Latching speed


Ordering Code : XL - C 1001
Reference Code : 9127346

**Door Closer surface mounted, EN 3/4**

Finish : Silver
 Width of door : 1100 mm
 Weight of door : 80 kgs
 Adjustable Closing & Latching speed

Ordering Code : XL - C 1002
Reference Code : 9127347


Note : For Hold open arm, Parallel arm bracket & Saddle plate, please refer page no.11

**Door Closer surface mounted, EN 2/3/4**

Finish : Silver
 Width of door : 1100 mm
 Weight of door : 80 kgs
 Adjustable Closing & Latching speed

Ordering Code : XL - C 1003
Reference Code : 9127308

Note : For slide channel arm please refer page No.11

**Door Closer surface mounted, EN 3-6**

Finish : Silver
 Width of door : 1400 mm
 Weight of door : 120 kgs
 Adjustable spring strength closing & Latching speed


Ordering Code : XL - C 1004
Reference Code : 9127309

Note : For saddle plate, slide channel arm please refer page No.11

Door Closer
 (Surface Mounted)

Door Closer

DORMA XL - C®




Door Closer concealed, EN 2

Finish : Silver
Width of door : 850 mm
Weight of door : 40 kgs
Min. door thickness : 40 mm
Adjustable Closing & Latching speed
along with Hold Open unit.

Ordering Code : XL - C 1005

Reference Code : 9127310




Door Closer concealed, EN 3

Finish : Silver
Width of door : 950 mm
Weight of door : 60 kgs
Min. door thickness : 45 mm
Adjustable Closing & Latching speed
along with Hold Open unit.

Ordering Code : XL - C 1006

Reference Code : 9127311




Door Closer with Slide Channel, EN2

Finish : Silver
Width of door : 900 mm
Weight of door : 45 kg
Adjustable Closing & Latching speed

Ordering Code : XL - C 1100

Reference Code : 9127346

**Door Closer
with
Slide Channel
Arm**
(Concealed, Surface
Mounted)


**Floor spring with 90° Hold open (EN 4)**

Finish : SSS

Width of door : 1100 mm

Weight of door : 100 kgs

Adjustable Sweep speed & Closing speed


Ordering Code : XL - C 1007**Reference Code : 9127348****Floor spring with 90° Hold open without Accessories (EN 3)**

Finish : SSS

Width of door : 950 mm

Weight of door : 60 kg

Adjustable Sweep speed & Closing speed

Ordering Code : XL - C 6100**Reference Code : 9110636****Floor spring with 90° Hold open with Accessories (EN 3)**

Finish : SSS

Width of door : 950 mm

Weight of door : 60 kg




Adjustable Sweep speed & Closing speed

Ordering Code : XL - C 6101**Reference Code : 9110637**

Double Action Door Accessories

DORMA XL - C®




Wooden Door Accessories - Top Centre and Bottom Strap



Ordering Code : XL - C 1012A

Reference Code : 9127388

Aluminium Door Accessories - Top Centre and Bottom Strap



Ordering Code : XL - C 1013A

Reference Code : 9127389

**Double Action
Door
Accessories**

AFFORDABLE

AVAILABLE

SAFE

RELIABLE


FUNCTIONAL

7

Lever Handle


DORMA's stainless steel Grade 304 Tubular lever handles come in 4 different designs with complete fixing accessories, including escutcheons and roses and are designed for secure through-bolt fixings. The clip-on cover plates conceal the through-bolt fixings and spindle bushing, thereby ensuring a neat and elegant appearance of the installed lever handles.

Finish : Satin Stainless Steel. Tested according to EN 1906.




Ordering Code : XL - C 2000 - D4*
Reference Code : 9111398


* Lever Handle Design for Narrow Stile Sash Lock



Ordering Code : XL - C 2001 - D1
Reference Code : 9127314



Ordering Code : XL - C 2002 - D2
Reference Code : 9127315




Ordering Code : XL - C 2003 - D3
Reference Code : 9127316

Lever Handle

Lock

DORMA XL - C®

Sash Lock




Forend width (W) - 20 mm
Backset (D) - 55 mm
Centre to Centre (CTC) - 72 mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL - C 3025

Reference Code : 9121117

Sash Lock




Forend width (W) - 20 mm
Backset (D) - 57 mm
Centre to Centre (CTC) - 61 mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL - C 3028

Reference Code : 9121120

Narrow Stile Sash Lock




Forend width (W) - 20 mm
Backset (D) - 25 mm
Centre to Centre (CTC) - 72 mm

Forend Finish : Satin Stainless Steel

Ordering Code : XL - C 2013 C-72

Reference Code : 9127367

Hook Lock for Sliding Door



Forend width (W) - 15 mm
Backset (D) - 30 mm
Oval Escutcheon

Forend Finish : Satin Stainless Steel

Ordering Code : XL - C 2014

Reference Code : 9127325

Lock

AFFORDABLE

AVAILABLE

SAFE


RELIABLE

FUNCTIONAL

9

Lock

Dead Lock




Forend width (W) - 20 mm
Backset (D) - 55 mm
Round escutcheon

Forend Finish : Satin Stainless Steel

Ordering Code : XL - C 2016

Reference Code : 9127356

Narrow Stile Dead Lock




Forend width (W) - 20 mm
Backset (D) - 25 mm
Oval Escutcheon

Forend Finish : Satin Stainless Steel

Ordering Code : XL - C 2017

Reference Code : 9127342

Night Latch Lock - Surface Mounted for Inside Opening Doors



Main Door Night Latch lock with 2 Point Deadbolt & Latch operated by Key from outside & thumb turn from Inside. Screws & Fixing accessories Included.

Forend Finish : Satin Stainless Steel


Ordering Code : XL - C 2018

Reference Code : 9116621

Lock

Euro Profile Cylinder (EPC)

DORMA XL - C®




5 pin EPC both side key
No. of keys - 3
Finish : Satin Nickel Plated
Non Master Keyed

Length = 60 mm

Ordering Code : XL - C 2010A
Reference Code : 9127319

Length = 70 mm

Ordering Code : XL - C 2070A
Reference Code : 9113976




5 pin EPC one side knob
and other side key
No. of keys - 3
Finish : Satin Nickel Plated
Non Master Keyed

Length = 60 mm

Ordering Code : XL - C 2011A
Reference Code : 9127320

Length = 70 mm

Ordering Code : XL - C 2071A
Reference Code : 9113977



WC EPC one side knob
and other side emergency
release slot
Finish : Satin Nickel Plated


Length = 60 mm

Ordering Code : XL - C 2012A
Reference Code : 9127321

Length = 70 mm

Ordering Code : XL - C 2072A
Reference Code : 9113978


Knob Lock



Entrance


Function :
Internal Push Button and
external key operation.
No. of keys - 3
Non Master Keyed

Finish : Satin Stainless Steel / Polished Brass



Privacy

Function :
Internal Push Button and
external emergency release slot.



Passage

Function :
Active knobs on both sides.

	Function	Finish	Ordering Code	Reference Code
	Entrance	SSS	XL - C 2020 S	9127352
		PB	XL - C 2020 B	9127357
	Privacy	SSS	XL - C 2021 S	9127353
		PB	XL - C 2021 B	9127358
	Passage	SSS	XL - C 2022 S	9127323
		PB	XL - C 2022 B	9127359

**Euro Profile
Cylinder (EPC),
Knob Lock**

AFFORDABLE

AVAILABLE

SAFE


RELIABLE

FUNCTIONAL

11

Pull Handle

D - Type



Centre to Centre (CTC) : 150 mm
 Diameter (Ø) : 19 mm
 Grade : SS 304
 Finish : Satin Stainless Steel

Ordering Code : XL - C 3001A


Reference Code : 9127324

Centre to Centre (CTC) : 300 mm
 Diameter (Ø) : 22 mm
 Grade : SS 304
 Finish : Satin Stainless Steel

Ordering Code : XL - C 3002A

Reference Code : 9127354

H - Type



Length (L) : 450 mm
 Centre to Centre (CTC) : 350 mm
 Diameter (Ø) : 25 mm
 Grade : SS 304
 Finish : Satin Stainless Steel

Ordering Code : XL - C 3003A


Reference Code : 9127327

Length (L) : 600 mm
 Centre to Centre (CTC) : 500 mm
 Diameter (Ø) : 32 mm
 Grade : SS 304
 Finish : Satin Stainless Steel


Ordering Code : XL - C 3004A

Reference Code : 9127328

Note : Suitable upto door thickness of 35mm




Description	Size	Ordering Code	Reference Code
5 Knuckle, 4 Ball Bearing Butt Hinge Grade SS 304 Finish SSS	5" x 3.5" x 3 mm	XL - C 3005A	9127375
5 Knuckle, 2 Ball Bearing Butt Hinge Grade SS 304 Finish SSS	5" x 3.5" x 3 mm	XL - C 3006A	9127376
5 Knuckle, 2 Ball Bearing Butt Hinge Grade SS 304 Finish SSS	4.5" x 4" x 3 mm	XL - C 3007A	9127377
5 Knuckle, 2 Ball Bearing Butt Hinge Grade SS 304 Finish SSS	4" x 4" x 3 mm	XL - C 3008A	9127378
5 Knuckle, 2 Ball Bearing Butt Hinge Grade SS 304 Finish SSS	4" x 3" x 3 mm	XL - C 3009A	9127329
5 Knuckle, 2 Ball Bearing Butt Hinge Grade SS 304 Finish SSS	4" x 3" x 2.5 mm	XL - C 3010A	9127379
5 Knuckle Butt Hinge without Ball Bearing Grade SS 304 Finish SSS	4" x 3" x 2.5 mm	XL - C 3011A	9127380
5 Knuckle Butt Hinge without Ball Bearing Grade SS 304 Finish SSS	4" x 3" x 2 mm	XL - C 3012A	9127381



Manual Flush Bolt for
Wooden Door
W - 20 mm, L - 172 mm

Finish : Satin Nickel Plate


Ordering Code : XL - C 3013A
Reference Code : 9127307



OVAL Flush Pull
85 x 22 mm SSS


Finish : Satin Chrome

Ordering Code : XL - C 3014A
Reference Code : 9127333



Door Eye viewer without flap
Finish : Satin Nickel Plate


Ordering Code : XL - C 3015A
Reference Code : 9127334



Half Dome (45 mm)
Floor Mounted Door Stop

Finish : SSS


Ordering Code : XL - C 3017A
Reference Code : 9127336



Spring Loaded
Security Door Chain

Finish : Satin Nickel Plate


Ordering Code : XL - C 3019A
Reference Code : 9127338



Hold Open Arm
for XL-C 1002

Finish : Silver

Ordering Code : XL - C 3020A
Reference Code : 9116622



Parallel Arm Bracket
for XL-C 1002


Finish : Silver

Ordering Code : XL - C 3021A
Reference Code : 9116623



Door Eye viewer with Flap
Finish : Satin Nickel Plate


Ordering Code : **XL - C 3022A**
Reference Code : **9127390**



Saddle Plate
Suitable for
XL - C 1002 & XL - C 1004

Finish : Silver


Ordering Code : **XL - C 3034**
Reference Code : **9112491**



Slide Channel
Finish : Silver
Suitable with **XL - C 1003**, EN3 fitting
Suitable with **XL - C 1004**, EN4 fitting
Adjustable Closing & Latching speed

Ordering Code : **XL - C 3023**
Reference Code : **9112489**

Glass Door Package (without Lock)



Glass Door Package consists of

- | | | |
|-----------------------|---|---------|
| 1. Top Pivot | - | 1 No. |
| 2. Top Patch | - | 1 No. |
| 3. Bottom Patch | - | 1 No. |
| 4. Floor Spring (EN4) | - | 1 No. |
| Maximum Door Width | - | 1100 mm |
| Maximum Door Weight | - | 80 Kgs |


Finish : Polished Chrome

Suitable for Glass Thickness : 10mm / 12mm

Ordering Code : **XL - C 4000**

Reference Code : **9137527**

Glass Door Package (with Lock)



Glass Door Package consists of

- | | | |
|---|---|---------|
| 1. Top Pivot | - | 1 No. |
| 2. Top Patch | - | 1 No. |
| 3. Bottom Patch | - | 1 No. |
| 4. Corner Lock patch with EPC
& floor strike | - | 1 No. |
| 5. Floor Spring (EN4) | - | 1 No. |
| Maximum Door Width | - | 1100 mm |
| Maximum Door Weight | - | 80 Kgs |


Finish : Polished Chrome

Suitable for Glass Thickness : 10mm / 12mm

Ordering Code : **XL - C 4001**


Reference Code : **9137809**

Top Pivot





Ordering Code : **XL - C 4014**
Reference Code : **9137571**

Top Patch



Ordering Code : **XL - C 4012**
Reference Code : **9137572**


Bottom Patch



Ordering Code : **XL - C 4013**
Reference Code : **9137573**

**Floor spring with 90°
Hold open (EN 4)
(for Glass Door)**

Maximum
Door Width - 1100 mm




Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm

**Glass Door
Package**

Glass Door Package (without Lock)

DORMA XL - C®



Glass Door Package consists of

- | | | |
|-----------------------|---|--------|
| 1. Top Pivot | - | 1 No. |
| 2. Top Patch | - | 1 No. |
| 3. Bottom Patch | - | 1 No. |
| 4. Floor Spring (EN3) | - | 1 No. |
| Maximum Door Width | - | 950 mm |
| Maximum Door Weight | - | 60 Kgs |


Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm

Ordering Code : XL - C 4050

Reference Code : 9137879

Glass Door Package (with Lock)



Glass Door Package consists of

- | | | |
|---|---|--------|
| 1. Top Pivot | - | 1 No. |
| 2. Top Patch | - | 1 No. |
| 3. Bottom Patch | - | 1 No. |
| 4. Corner Lock patch with EPC
& floor strike | - | 1 No. |
| 5. Floor Spring (EN3) | - | 1 No. |
| Maximum Door Width | - | 950 mm |
| Maximum Door Weight | - | 60 Kgs |

Finish : Polished Chrome


Suitable for Glass Thickness : 10 mm / 12 mm

Ordering Code : XL - C 4051

Reference Code : 9137880

**Glass Door
Package**

Fanlight patch for wall fixing




Ordering Code : XL - C 4002A


Reference Code : 9137502

Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm



Patch fitting for overpanel and sidelight




Ordering Code : XL - C 4003A


Reference Code : 9137503

Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm



Connector for overpanel and Sidelight




Ordering Code : XL - C 4004A

Reference Code : 9137505

Finish : Polished Chrome


Suitable for Glass Thickness : 10 mm / 12 mm



Glass Door Accessories

DORMA XL - C®



Patch fitting for over panel and sidelight with pivot and Fin (LH)*



Ordering Code : XL - C 4005A

Reference Code : 9137529

Patch fitting for over panel and sidelight with pivot and Fin (RH)*



*As viewed from outside


Ordering Code : XL - C 4022A

Reference Code : 9142003

Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm

Central Connector




Ordering Code : XL - C 4006A


Reference Code : 9137504

Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm



Corner Connector




Ordering Code : XL - C 4007A

Reference Code : 9137523

Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm



**Glass Door
Accessories**

AFFORDABLE

AVAILABLE

SAFE


RELIABLE

FUNCTIONAL

19

Glass Door Accessories

Side Connector




Ordering Code : XL - C 4008A


Reference Code : 9137515

Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm



Quadruple Connector




Ordering Code : XL - C 4009A


Reference Code : 9137524

Finish : Polished Chrome


Suitable for Glass Thickness : 10 mm / 12 mm




Corner Lock patch with EPC and strike plate



Strike Plate



EPC






Ordering Code : XL - C 4011A

Reference Code : 9137528


Finish : Polished Chrome

Suitable for Glass Thickness : 10 mm / 12 mm

Glass Door
Accessories



- Locks (prepared for handles without roses)
- Hinges inclusive of sleeve (2 nos.)
- Lever handles
- Angled strike plate
- Frame pivot, Screw on type
- EPC



Ordering Code : XL - C 301
Reference Code : 9138067




Finish : Aluminum Silver

Ordering Code : XL - C 302
Reference Code : 9138068


Finish : Aluminum Satin Stainless Steel

Suitable for Glass Thickness : 8 mm / 10 mm
Maximum Weight of Door : 45 Kg.

**Internal
Glass Door
Package**



- Locks (prepared for handles without roses)
- Hinges inclusive sleeve (2 nos.)
- Lever handles
- Angled strike plate
- Frame pivot, screw - ON TYPE
- EPC



Ordering Code : XL - C 303
Reference Code : 9138069

Finish : Aluminum Silver


Ordering Code : XL - C 304
Reference Code : 9138070

Finish : Aluminum Satin Stainless Steel

Suitable for Glass Thickness : 8 mm / 10 mm
 Maximum Weight of Door : 45 Kg.

**Internal
Glass Door
Package**

IGD Hinge



Ordering Code : XL - C 305


Reference Code : 9137964

Finish : Aluminium Silver

Suitable for Glass thickness : 8 / 10 mm

Max. Weight of Door : 45 kg

IGD Hinge



Ordering Code : XL - C 306


Reference Code : 9137971

Finish : Aluminium Satin Stainless Steel

Suitable for Glass thickness : 8 / 10 mm

Max. Weight of Door : 45 kg

IGD Lock




Ordering Code : XL - C 307

Reference Code : 9137972

Finish : Aluminium Silver

Suitable for Glass thickness : 8 / 10 mm

IGD Lock



Ordering Code : XL - C 308


Reference Code : 9137973

Finish : Aluminium Satin Stainless Steel

Suitable for Glass thickness : 8 / 10 mm

Shower Fittings

Glass to Wall Hinge 90°




Ordering Code : XL - C 5001

Reference Code : 9138022

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Bracket 90° (big)




Ordering Code : XL - C 5002

Reference Code : 9138027

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Hinge 90°




Ordering Code : XL - C 5003

Reference Code : 9138023

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Hinge 180°




Ordering Code : XL - C 5004

Reference Code : 9138024

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Hinge 135°




Ordering Code : XL - C 5005

Reference Code : 9138026

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Bracket 90°




Ordering Code : XL - C 5017

Reference Code : 9137543

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Bracket 90° (Small)



Ordering Code : XL - C 5006


Reference Code : 9131702

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Shower Fittings

Glass to Wall Hinges 90° Single Side Plate




Ordering Code : XL - C 5028

Reference Code : 9138090

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Bracket 90° Single Side Plate




Ordering Code : XL - C 5029

Reference Code : 9138091

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Hinge 90°




Ordering Code : XL - C 8001

Reference Code : 9138080

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Bracket 90°




Ordering Code : XL - C 8002

Reference Code : 9138081

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Hinge 90°




Ordering Code : XL - C 8003

Reference Code : 9138082

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Hinge 180°



Ordering Code : XL - C 8004


Reference Code : 9138084

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Shower Fittings

Glass to Glass Hinge 135°




Ordering Code : XL - C 8005

Reference Code : 9138085

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Bracket 90°




Ordering Code : XL - C 8017

Reference Code : 9138083

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Hinge 90° SNGL Side Plate




Ordering Code : XL - C 8041

Reference Code : 9138092

Finish : Polished Chrome

Suitable for 8 / 10 Glass Thickness

Glass to Wall Bracket 90° SNGL Side Plate




Ordering Code : XL - C 8042

Reference Code : 9138093

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Bracket 90° (Small)




Ordering Code : XL - C 8006

Reference Code : 9138086

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Bracket 90° (Small)




Ordering Code : XL - C 8007

Reference Code : 9142004

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Bracket Small W/O Back Plate




Ordering Code : XL - C 8008

Reference Code : 9142025

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Glass Bracket 135° Small



Ordering Code : XL - C 8009


Reference Code : 9142026

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Shower Fittings

Glass to Glass Bracket 180° Small




Ordering Code : XL - C 8010

Reference Code : 9142027

Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness

Glass to Wall Bracket Inline Back Plate




Ordering Code : XL - C 8011

Reference Code : 9142028


Finish : Polished Chrome

Suitable for 8 mm / 10 mm Glass Thickness




Water disperser
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5007
Reference Code : 9138028




Wall Seal
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5008
Reference Code : 9138029




Soft nose seal
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5009
Reference Code : 9138030




Mid seal
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5010
Reference Code : 9138031




Middle Seal 135°
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5011
Reference Code : 9138032




Magnetic seal 90°
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5012
Reference Code : 9138033




Magnetic seal 180°
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5013
Reference Code : 9138034




Magnetic seal 135°
8-10 mm glass L = 2000 mm

Ordering Code : XL - C 5014
Reference Code : 9138035




Towel Rod Cum Handle
458 mm x 205 mm x 19 mm

Ordering Code : XL - C 5015A
Reference Code : 9138036




Support Bar
2100 mm x 19 mm Thick

Ordering Code : XL - C 5018A
Reference Code : 9138062



Support Bar Wall Clamp (Pair)
(for 19 mm Dia Rod)


Ordering Code : XL - C 5019A
Reference Code : 9138063



Support Bar Glass Clamp
(for 8 mm Glass)


Ordering Code : XL - C 5020A
Reference Code : 9138064

Shower Seals & Accessories




Support Bar Clamp - 'L' Shaped

Ordering Code : XL - C 5021A
Reference Code : 9138065




Support Bar Clamp - 'T' Shaped

Ordering Code : XL - C 5022A
Reference Code : 9138066




Door Knob

Ordering Code : XL - C 5023A
Reference Code : 9142007




Pentagonal Support Bar
12 mm dia

Ordering Code : XL - C 5024A
Reference Code : 9137317




Towel Rod with Handle
458 x 205 x 18 mm

Ordering Code : XL - C 8021A
Reference Code : 9138089




Support Bar Glass Clamp
(for 10 mm Glass)

Ordering Code : XL - C 5027A
Reference Code : 9142006




Water Disperser
8 / 10 mm Glass L = 2000 mm

Ordering Code : XL - C 8032
Reference Code : 9134766




Wall Seal
8 / 10 mm Glass L = 2500 mm

Ordering Code : XL - C 8030
Reference Code : 9134768




Soft Nose Seal
8/10 mm Glass L = 2500 mm

Ordering Code : XL - C 8028
Reference Code : 9134760




Middle Seal 180°
8/10 mm Glass L = 2500 mm

Ordering Code : XL - C 3044
Reference Code : 9134762




Middle Seal 135°
8/10 mm glass L = 2500 mm

Ordering Code : XL - C 3046
Reference Code : 9134770




Magnetic Seal 90°
8 mm Glass L = 2500 mm

Ordering Code : XL - C 8022
Reference Code : 9134772




Magnetic Seal 90°
10 mm Glass L = 2500 mm

Ordering Code : XL - C 8025
Reference Code : 9134773




Magnetic Seal 180°
8 mm Glass L = 2500 mm

Ordering Code : XL - C 8023
Reference Code : 9134764




Magnetic Seal 180°
10 mm Glass L = 2500 mm

Ordering Code : XL - C 8026
Reference Code : 9134765




Magnetic seal 135°
8 mm Glass L = 2500 mm

Ordering Code : XL - C 8024
Reference Code : 9134774



Magnetic seal 135°
10 mm Glass L = 2500 mm

Ordering Code : XL - C 8027
Reference Code : 9134775



Wooden Sliding Door System

Technical Data	XL-C 7001	XL-C 7002	XL-C 7003	XL-C 7004	XL-C 7022	XL-C 7023
Weight Capacity / Shutter, kg	80	80	120	120	80	100
Track Length, mm	2000	3000	2000	3000	3000	3000
Max Door Height, mm	2400	2400	2700	2700	2400	2700
Max Door Width, mm	1000	1500	1000	1500	750	750
Door Thickness, ceiling mounting, mm	28 - 40	28 - 45	28 - 45	28 - 50	28 - 40	28 - 45
Door Thickness, wall mounting, mm	28 - 32	28 - 35	28 - 32	28 - 35	28 - 32	28 - 35
Bi-Parting Possibility	no	no	no	no	yes	yes

Ordering Code : XL - C 7001 2M WA80

Reference Code : 9137544

Kit contains 2 mtr Track with clamping accessories, two standard rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7002 3M WA80

Reference Code : 9137545

Kit contains 3 mtr Track with clamping accessories, two standard rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7022 3M WA80 BS

Reference Code : 9137576

Kit contains 3 mtr Track with clamping accessories, two standard rollers with two end stoppers & one door guide - 2 Sets

Optional Accessories :

- Hook Lock for Wooden Sliding door : XL - C 2014
- Oval Flush Pull : XL - C 3014A
- EPC - 60 mm / 70 mm

Ordering Code : XL - C 7003 2M WA120

Reference Code : 9137546

Kit contains 2 mtr Track with clamping accessories, two heavy duty rollers with two end stoppers and one door guide.

Ordering Code : XL - C 7004 3M WA120


Reference Code : 9137547

Kit contains 3 mtr Track with clamping accessories, two heavy duty rollers with two end stoppers and one door guide.

Ordering Code : XL - C 7023 3M WA 100 BS

Reference Code : 9137577

Kit contains 3 mtr Track with clamping accessories, two heavy duty rollers with two end stoppers and one door guide. - 2 Sets



Glass Sliding Door System (without Fixed Panel)

Technical Data	XL - C 7005	XL - C 7006	XL - C 7007	XL - C 7008	XL - C 7024	XL - C 7025
Weight Capacity / Shutter, Kg	80	80	100	100	80	100
Track Length, mm	2000	3000	2000	3000	3000	3000
Max. Door Height, mm	2400	2400	2700	2700	2400	2700
Max. Door Width, mm	1000	1500	1000	1500	750	750
Glass Door Thickness, mm	8 - 10	8 - 10	10 - 12	10 - 12	8 - 10	10 - 12
Bi - Parting Possibility	NO	NO	NO	NO	YES	YES

Ordering Code : XL - C 7005 2M GL80

Reference Code : 9137548

Kit contains 2 mtr Track with clamping accessories, two standard rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7007 2M GL100

Reference Code : 9137550

Kit contains 2 mtr Track with clamping accessories, two heavy duty rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7006 3M GL80

Reference Code : 9137549

Kit contains 3 mtr Track with clamping accessories, two standard rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7008 3M GL100

Reference Code : 9137551

Kit contains 3 mtr Track with clamping accessories, two heavy duty rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7024 3M GL80 BS

Reference Code : 9137578

Kit contains 3 mtr Track with clamping accessories, two standard rollers with two end stoppers & one Door guide. - 2 Sets

Ordering Code : XL - C 7025 3M GL100 BS


Reference Code : 9137579

Kit contains 3 mtr Track with clamping accessories, two heavy duty rollers with two end stoppers & one door guide. - 2 Sets

Optional Accessories : (Refer Page 44)

- Hook Lock for Glass Sliding door towards Wall : XL-C 7019
- Hook Lock for Glass Sliding door towards Glass : XL-C 7121
- Circular Flush Pull : XL-C 7018

SLIDING GEAR
Glass Door Application
(without fixed panel)



Glass Sliding Door System (with Fixed Panel)

Technical Data	XL - C 7009	XL - C 7010	XL - C 7011	XL - C 7012	XL - C 7026	XL - C 7027
Weight Capacity / Shutter, Kg	80	80	100	100	80	100
Track Length, mm	2000	3000	2000	3000	3000	3000
Max. Door Height, mm	2400	2400	2700	2700	2400	2700
Max. Door Width, mm	1000	1500	1000	1500	750	750
Glass Door Thickness, mm	8 - 10	8 - 10	10 - 12	10 - 12	8 - 10	10 - 12
Fixed Glass Door Thickness, mm	8 - 10	8 - 10	8 - 10	8 - 10	8 - 10	8
Bi - Parting Possibility	NO	NO	NO	NO	YES	YES

Ordering Code : XL - C 7009 2M GLF80
Reference Code : 9137552

Kit contains 2 mtr fixed glass track with screws, two standard rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7011 2M GLF100
Reference Code : 9137554

Kit contains 2 mtr fixed glass track with screws, two heavy duty rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7010 3M GLF80
Reference Code : 9137553

Kit contains 3 mtr fixed glass track with screws, two standard rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7012 3M GLF100
Reference Code : 9137555

Kit contains 3 mtr fixed glass track with screws, two heavy duty rollers with two end stoppers & one door guide.

Ordering Code : XL - C 7026 3M GLF80 BS
Reference Code : 9137580

Kit contains 3 mtr fixed glass track with screws, two standard rollers with two end stoppers & one door guide. - 2Sets


Ordering Code : XL - C 7027 3M GLF100 BS
Reference Code : 9137581

Kit contains 3 mtr fixed glass track with screws, two heavy duty rollers with two end stoppers & one door guide. - 2Sets

Optional Accessories : (Refer Page 44)

- Hook Lock for Glass Sliding door towards Wall : XL - C 7019
- Hook Lock for Glass Sliding door towards Glass : XL - C 7121
- Circular Flush Pull : XL - C 7018

WCP 3 Meters - Non Safety Type




Ordering Code : XL - C 4023A
Reference Code : 9137874

Finish : Aluminium Silver
Glass Thickness : 10 mm

Ordering Code : XL - C 4025A
Reference Code : 9137876

Finish : Aluminium Silver
Glass Thickness : 12 mm

WCP 3 Meters - Safety Type




Ordering Code : XL - C 4024A
Reference Code : 9137875

Finish : Aluminium Silver
Glass Thickness : 10 mm

Ordering Code : XL - C 4026A
Reference Code : 9137877

Finish : Aluminium Silver
Glass Thickness : 12 mm


Sliding Shower System

- Max Door size 750mm
- Max Height 2.5 mtrs.
- 8 mm Glass Thickness
- Standard ball bearing Rollers
- Track Length Max. 2 mtrs.
- Accessories in polished chrome finish
- Profiles in Anodised finish


Kit contains :

- 2 mtr Fixed Glass Track with Clamps & screws
- Two standard geared rollers with two end stoppers
- Glass Door guide for 8mm Glass
- Water Disperser
- WCP for fixed glass
- 90° Magnetic seal with profile
- Door Knob set

Ordering Code : XL - C 7013 2.5M GLSA60

Reference Code : 9137556

**Sliding
Shower
System**



Sliding Shower System

- Max Door Width 600 mm
- Max Height 2.5 mtrs.
- 8mm Glass Thickness
- Standard duty ball bearing Rollers
- Track Length Max. 3 mtrs.
- Accessories in polished chrome finish
- Profiles in Anodised finish


Kit contains :

- 3 mtr Fixed Glass Track with Clamps & screws
- Two sets of standard geared rollers with end stopper
- Glass Door guides for 8 mm Glass (LH, RH)
- Water Disperser
- WCP for fixed glass - 2 Nos.
- 180° Magnetic Seal
- Door Knob sets

Ordering Code : XL - C 7036 2.5M GLSA70

Reference Code : 9101333

**Sliding
Shower
System**


Sliding Shower System

- Max Door size 600 mm per leaf
- Max Height 2.5 Meters
- 8mm Glass Thickness
- Standard duty ball bearing Rollers
- Accessories in polished chrome finish
- Profiles in Anodised finish

Kit contains :

- Set of 1.5 mtr. Fixed Glass Track with Clamps & screws
- Two sets of standard geared rollers with end stopper
- Glass Door guides for 8 mm Glass (LH, RH)
- Water Disperser
- WCP for fixed glass - 2 Nos.
- 90° Magnetic Seal
- Door Knob sets



Ordering Code : XL - C 7037 2.5 M GLSA90

Reference Code : 9101334

**Sliding
Shower System**

Folding & Sliding (Wooden Door Application)

DORMA XL - C®



Standard Wooden Folding Sliding - SF1

- Max 80 kg/System
- 30 - 34 mm Shutter Thickness
- Each Shutter weight - Max. 40 kg
- Standard duty bearing roller & clamp
- Heavy duty track - Satin finish
- Bottom Channel
- Butt Hinges (Optional) Ref : BB Hinge spec.
- Hook Lock for Wooden Sliding (Optional)
- Flush pull (Optional)
- Flush bolt (Optional)

Ordering Code : XL - C 7014 2M SFW80

Reference Code : 9137559

Kit contains 2 mtr. track with screws, standard pivot clamps, standard duty roller and single wheel bottom guide

Ordering Code : XL - C 7033 3MBP SFW80

Reference Code : 9137585

Bi parting door kit contains 3 mtr track with screws, two sets of standard pivot clamps, standard duty roller and single wheel bottom guide

**Folding &
Sliding
Wooden Door
Application**

AFFORDABLE



AVAILABLE

SAFE

RELIABLE

FUNCTIONAL

41

Folding & Sliding (Wooden Door Application)

Heavy Duty Wooden Folding Sliding - SF2

- Max 120 kg/System
- 30 - 40 mm Shutter Thickness
- Each Shutter weight - Max. 60 kg
- Heavy duty bearing roller & clamp
- Heavy duty track - Satin finish
- Bottom Channel
- Butt Hinges Ref : BB Hinge Spec.
- Hook Lock for Wooden Sliding (Optional)
- Flush pull (Optional)
- Flush bolt (Optional)

Ordering Code : XL - C 7039 3M SFW120

Reference Code : 9137560

Kit contains 3 mtr track with screws, heavy duty pivot clamp, heavy duty roller and double wheel bottom guide



Ordering Code : XL - C 7034 4MBP SFW120

Reference Code : 9137586

Bi parting door kit contains 4 mtr track with screws, heavy duty pivot clamp, heavy duty roller and double wheel bottom guide

Folding & Sliding (Wooden Door Application)

DORMA XL - C®



Standard Wooden Folding Sliding - SF3



- Max 80 kg/System
- 30 - 34 mm Shutter Thickness
- Each Shutter weight - Max. 40 kg
- Standard duty bearing roller & clamp
- Heavy duty track - Satin finish
- Bottom Channel
- Butt Hinges (Optional) Ref: BB hinge Spec.
- Hook Lock for Wooden Sliding (Optional)
- Flush pull (Optional)
- Flush bolt (Optional)

Ordering Code : XL - C 7040 3M SFW80

Reference Code : 9137562

Kit contains 3 mtr track with screws, standard duty pivot clamps, standard roller and single wheel bottom guide

**Folding &
Sliding
Wooden Door
Application**



Folding & Sliding Wooden Door Application

Heavy Duty Wooden Folding Sliding - SF4

- Max 120 kg/System
- 30 - 40 mm Shutter Thickness
- Each Shutter weight - Max. 60 kg
- Heavy duty bearing roller & clamp
- Heavy duty track - Satin finish
- Bottom Channel
- Butt Hinges (Optional) Ref : BB Hinge Spec.
- Hook Lock for Wooden Sliding (Optional)
- Flush pull (Optional)
- Flush bolt (Optional)


Ordering Code : XL - C 7015 3M SFW120

Reference Code : 9137561

Kit contains 3 mtr. track with screws, heavy duty pivot clamp, heavy duty roller and double wheel bottom guide

Folding & Sliding (Wooden Door Application)

DORMA XL - C®



Standard Wooden Folding Sliding - SF5

- Max 80 kg/System
- 30 - 34 mm Shutter Thickness
- Each Shutter weight - Max. 40 kg
- Standard duty bearing roller & clamp
- Heavy duty Track - Satin finish
- Bottom Channel
- Butt Hinges (Optional) Ref: BB Hinge Spec.
- Hook Lock for Wooden Sliding (Optional)
- Flush pull (Optional)
- Flush bolt (Optional)

Ordering Code : XL - C 7030 3M SFW80

Reference Code : 9101331

Kit contains 3 mtr. track with screws, standard duty pivot clamps, two wheel rollers and single wheel bottom guide

Heavy Duty Wooden Folding Sliding - SF6

- Max 120 kg/System
- 30 - 40 mm Shutter Thickness
- Each Shutter weight - Max. 60 kg
- Heavy duty bearing roller & clamp
- Heavy duty Track - Satin finish
- Bottom Channel
- Butt Hinges (Optional) Ref: BB Hinge Spec.
- Hook Lock for Wooden Sliding (Optional)
- Flush pull (Optional)
- Flush bolt (Optional)

Ordering Code : XL - C 7031 3M SFW120

Reference Code : 9101332

Kit contains 3 mtr. track with screws, heavy duty pivot clamps, four wheel rollers and double wheel bottom guide

**Folding &
Sliding
Wooden Door
Application**

AFFORDABLE


AVAILABLE

SAFE

RELIABLE

FUNCTIONAL


45



Circular Flush Pull
Satin Finish
Outer Dia 70mm
Hole Dia 50mm

Ordering Code : XL - C 7018


Reference Code : 9138056



Hook Lock for Glass Sliding
Glass to Wall or Wood

Ordering Code : XL - C 7019


Reference Code : 9138057



Hook Lock for Glass Sliding
Glass to Glass with Strike box

Ordering Code : XL - C 7121


Reference Code : 9138059



Floor Pivot Bearing

Ordering Code : XL - C 4015A

Reference Code : 9137574



Features*

- Height 2700 mm
- Max weight of 100 kg / panel (with two rollers)
- Max weight of 50 kg / panel (with one roller)
- Max width of 1000 mm / panel (with two rollers)
- Max width of 750 mm / panel (with one roller)
- Max no. of panels 4 per side with parking
- 10 mm / 12 mm Glass Thickness
- Floor Mounting EPC Lock
- Floor Mounting Surface Bolt
- Provision with various parking options for panels

* Product on RFQ basis





Ordering Code : XL - C 7016

"Zero" Parking

Parallel Parking


Perpendicular Parking

135° Parking




**Horizontal
Sliding Wall
(HSW)**


Folding Sliding Wall



Type-1



Type-2



Features *

- Max height Upto 2600 mm
- Max weight of 50 kg / panel
- Max width of 750 mm / panel
- Max no. of panels 3.5 per side in Type 1
- Max no. of panels 4 per side in Type 2
- Max 10 mm Glass Thickness
- Hinged Top / Bottom door rails
- Floor Mounting EPC Lock
- Floor Mounting Bolt




* Product on RFQ basis

Ordering Code : XL - C 7017

**Folding
Sliding Wall
(FSW)**

Automatic Sliding Door Operator

DORMA XL - C®



Standard Application

- Single Panel Sliding Door
- Double Panel Sliding Door (Bi-Parting)

Clear Passage Width	: Single Sliding = Min. 800 - Max. 1200 mm Double Sliding = Min. 1000 - Max. 2000 mm
Clear Passage Height	: 2400 mm (Recommended)
Max. Door Weight	: Single Sliding = 1 X 100 Kgs. Double Sliding = 2 X 85 Kgs.
Activator Options	: RADAR Sensor Pushbutton Hand held Transmitter / Receiver (Remote Control)
Program Switch Modes	: Off Automatic Permanent Open, Partial Open, Exit Only
Power Supply Data	: 230 VAC, 50/60 Hz (Mandatory UPS / Stabilized Supply)
Opening Speed	: 10 to 50 cm/sec (Incrementally Adjustable)
Closing Speed	: 10 to 40 cm/sec (Incrementally Adjustable)
Hold Open Time	: 0.5 to 30 sec (Incrementally Adjustable)
Operator Mounting	: Only Face Mounted
Standard set of Accessories	: Radar (2 Nos) Light Barrier (1 No) Program Switch with Knob (1 No)

Glass Mounting Application for XL - C 4114
XL - C 4100 with Back Plate, XL - C 4115 &
XL - C 4116 to be used for installation

Ordering Code : XL - C 4100

Reference Code : 9101324

Ordering Code : XL - C 4114

Reference Code : 9101289

**Automatic
Sliding Door
Operator**

AFFORDABLE

AVAILABLE




SAFE

RELIABLE

FUNCTIONAL

49

Single Door Automatic Sliding



Standard Application

- Single Panel Sliding Door

Clear Passage Width	: Single Sliding = Min. 800 - Max. 1000 mm
Clear Passage Height	: 2400 mm (Recommended)
Max. Door Weight	: Single Sliding = 1 X 100 Kgs.
Activator Options	: RADAR Sensor Pushbutton Hand held Transmitter / Receiver (Remote Control)
Program Switch Modes	: Off Automatic Permanent Open, Partial Open, Exit Only
Power Supply Data	: 230 VAC, 50/60 Hz (Mandatory UPS / Stabilized Supply)
Opening Speed	: 10 to 50 cm/sec (Incrementally Adjustable)
Closing Speed	: 10 to 40 cm/sec (Incrementally Adjustable)
Hold Open Time	: 0.5 to 30 sec (Incrementally Adjustable)
Operator Mounting	: Only Face Mounted
Standard set of Accessories	: Radar (2 Nos) Light Barrier (1 No) Program Switch with Knob (1 No)


Automatic
Sliding Door
Operator

Ordering Code : XL - C 4101
Reference Code : 9101317


Automatic Swing Door Assistant (for Internal Doors only)

DORMA XL - C®

XL - C 4300



XL - C 4600



Door Leaf Width	: ≤ 1100 mm
Door Leaf Weight	: 1 X 80 Kgs.
Door Leaf Height	: Function of Door Weight
Operator Dimension	: Height 60 mm x Width 530 mm x Depth 80 mm
Activator Options	: RADARS Push & Go Pushbutton Hand held Transmitter / Receiver (Remote Control)
Program Switch Modes	: Off Power Motion Permanent Open
Power Supply Data	: 230 VAC, 50/60 Hz (Mandatory UPS / Stabilized Supply)
Opening Time (0° - 90°)	: 5 to 10 sec (Adjustable)
Closing Time (90° - 0°)	: 5 to 10 sec (Adjustable)
Hold Open Time	: 5 to 30 sec (Adjustable)
Opening Angle	: Maximum 110°

Accessories to be ordered separately (Ref. Page No.52)


Wooden / Aluminium Door Application
for **XL - C 4300**

Ordering Code : **XL - C 4300**
Reference Code : **9101326**

Frameless Glass Application
for **XL - C 4600**


XL - C 4300 with Saddle Plate and IGD Hinges
Ordering Code : **XL - C 4600**
Reference Code : **9101340**

**Automatic
Swing Door
Assistant**




RADAR for
XL - C 4300
XL - C 4600

Ordering Code : **DORMA XL - C 4102 A**
Reference Code : **9101328**




Push Button for
XL - C 4100
XL - C 4101
XL - C 4300
XL - C 4600
XL - C 4114

Ordering Code : **DORMA XL - C 4103 A**
Reference Code : **9101329**




Hand held
Transmitter / Receiver
(Remote Control) for
XL - C 4100
XL - C 4101
XL - C 4300
XL - C 4600
XL - C 4114

Ordering Code : **XL - C 4104**
Reference Code : **9101339**




Brush profile for
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : **XL - C 4105**
Reference Code : **9101341**




**Control Unit
Assembly for**
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4106
Reference Code : 9101281




Motor Assembly for
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4107
Reference Code : 9101282




**Torroidal
Transformer for**
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4108
Reference Code : 9101283




**Main Roller
Assembly for**
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4109
Reference Code : 9101284




**Counter Roller
Assembly for**
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4110
Reference Code : 9101285




Encoder Cable
450 mm for
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4111
Reference Code : 9101286




**Five Position
Program Switch for**
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4112
Reference Code : 9101287




Light Barrier for
XL - C 4100
XL - C 4101
XL - C 4114

Ordering Code : XL - C 4113
Reference Code : 9101288




**Special Manet Fixed
for 12 mm Glass**

Ordering Code : XL - C 4115
Reference Code : 9101290
To be used alongwith XL - C 4114



**Special Manet
Flexible
for 12 mm Glass**

**Ordering Code : XL - C 4116
Reference Code : 9101291
To be used alongwith XL - C 4114**




**Timer Belt
for XL - C 4100
XL - C 4101
XL - C 4114**

**Ordering Code : XL - C 4117
Reference Code : 9101293**

Spiders

1 Arm Non Fin Type Spider



Ordering Code : XL - C 6026


Reference Code : 9140777

Finish : Electro Polished

Material : SS 316

Maximum Facade Thickness : 15 mm

2 Arm 180° Non Fin Type Spider



Ordering Code : XL - C 6027


Reference Code : 9140778

Finish : Electro Polished

Material : SS 316

Maximum Facade Thickness : 15 mm

2 Arm 90° Non Fin Type Spider



Ordering Code : XL - C 6028


Reference Code : 9140779

Finish : Electro Polished

Material : SS 316

Maximum Facade Thickness : 15 mm

4 Arm Non Fin Type Spider



Ordering Code : XL - C 6029


Reference Code : 9140780

Finish : Electro Polished

Material : SS 316

Maximum Facade Thickness : 15 mm

1 Arm Fin Type Spider



Application : Façade to wall

Ordering Code : XL - C 6030


Reference Code : 9140764

Finish : Electro Polished

Material : SS 316

Maximum Facade Thickness : 15 mm

2 Arm 90° Fin Type Spider



Application : Façade to wall

Ordering Code : XL - C 6031


Reference Code : 9140765

Finish : Electro Polished

Material : SS 316

Maximum Facade Thickness : 15 mm

2 Arm 180° Fin Type Spider



Application : Fin to Façade

Ordering Code : XL - C 6032

Reference Code : 9140766


Finish : Electro Polished

Material : SS 316

Maximum Facade Thickness : 15 mm

Maximum Fin Thickness : 19.52 mm

4 Arm Fin Type Spider



Application : Fin to Façade

Ordering Code : XL - C 6033

Reference Code : 9140767

Finish : Electro Polished


Material : SS 316

Maximum Facade Thickness : 15 mm

Maximum Fin Thickness : 19.52 mm

Spiders

Splice Plate



Application : Splice Plate

Ordering Code : XL - C 6034

Reference Code : 9140770

Size : 300 mm x 50 mm x 8 mm


Finish : Polished

Material : SS 316

Max. Fin Thickness : 15 mm

Max. Fin Width : 350 mm

Fixed Bolt



Ordering Code : XL - C 6035


Reference Code : 9140771

Finish : Electro Polished

Material : SS 316

Max. Facade Thickness : 15 mm

Articulated Bolt



Ordering Code : XL - C 6036


Reference Code : 9140772

Finish : Electro Polished


Material : SS 316

Max. Facade Thickness : 15 mm

Top & Bottom Patch (XL - C 4012, XL - C 4013)




Corner Lock (Big) (XL - C 4011A)





Patch Fitting Glass Cut-out

XL - C 4002A





**Cut-out Details
for
Patch Fitting**





XL - C 4004A




XL - C 4005A / XL - C 4022A (Cut-out 2)



XL - C 4007A

**XL - C 4009A**

XL - C 4024A / XL - C 4026 A




**Cut-out Details
for
Wall Connecting
Profile**

Internal Glass Door

XL - C 301, 302, 303, 304 (Full Set - Hinge & Lock)

XL - C 305, 306 (Hinge)

XL - C 307, 308 (Lock)




H1 = Height of Glass to be ordered
W1 = Width of Glass to be ordered


H = Height of Opening Area
W = Width of Opening Area

Cut-out Details for Internal Glass Door


XL - C 5001 / 8001 / 8041 / 5028 (G/W Hinge 90°)



XL - C 5002 / 8002 / 8042 / 5029 (G/W Bracket 90°)




XL - C 5003 / 8003 (G/G Hinge 90°)




**Cut-out Details
for
Shower**

XL - C 5017 / 8017 (G/G Bracket 90°)




XL - C 5004 / 8004 (G/G Hinge 180°)




Cut-out Details
for
Shower


XL - C 5005 / 8005 (G/G Hinge 135°)



XL - C 5006 / 8006 (G/W Bracket 90°)




XL - C 8007 (G/G Bracket 90° - Small)




**Cut-out Details
for
Shower**


XL - C 8008 (G/W Bracket 90° with no Backplate)




XL - C 8009 (G/G Bracket 135° - Small)



XL - C 8010 (G/G Bracket 180° - Small)



XL - C 8011 (G/W Bracket 90° with inline Backplate)




**Cut-out Details
for
Shower**



Sliding Gear : Glass Door Application - without Fixed Panel

XL - C 7005, 7006, 7007, 7008, 7024, 7025



DORMA XL - C®



Roller Clamp Design : 80 kg Capacity



Roller Clamp Design : 100 kg Capacity



**Cut-out Details
for
Sliding Gear**

AFFORDABLE

AVAILABLE


SAFE

RELIABLE



FUNCTIONAL

67



Sliding Gear : Glass Door Application - with Fixed Panel
XL - C 7009, 7010, 7011, 7012, 7026, 7027




Roller Clamp Design : 80 kg Capacity



Roller Clamp Design : 100 kg Capacity





**Cut-out Details
for
Sliding Gear**



Cut-out Details
for
Sliding Shower

Cut-out Details
for
Sliding Shower






Cut-out Details
for
Sliding Shower

Towel Rod cum Handle


XL - C 5015A / 8021A



Door Knob


XL - C 5023A

Knob used in XL - C 7013 / 7036 / 7037




Hook Lock for Sliding Door - Glass to Wall / Wood / Glass

XL - C 7019 / 7121 - Door & Fixed Panel




**Cut-out Details
for
Accessories**


Water Dispenser XL - C 5007 / 8032




Wall Seal XL - C 5008 / 8030




Soft Nose Seal XL - C 5009 / 8028




Middle Seal 180° XL - C 5010 / 3044




Middle Seal 135° XL - C 5011 / 3046




Magnetic Seal 90°
XL - C 5012 / 8022 / 8025



Magnetic Seal 180°
XL - C 5013 / 8023 / 8026




Magnetic Seal 135°
XL - C 5014 / 8024 / 8027




Cut-out Details
for
Seals

Pull Handle & Circular Recessed Flush Pull


XL - C 7018




XL - C 3001A
(D Type Handle - 150 x 19 mm)




XL - C 3002A
(D Type Handle - 300 x 22 mm)





XL - C 3003A
(D Type Handle - 450 x 25 mm)



XL - C 3004A
(D Type Handle - 600 x 30 mm)



**Cut-out Details
for
Pull Handles &
Flush Pull**




Countersunk Cutout Detail for
XL - C 4115 & XL - C 4116

All dimensions are in mm


**Cut-out Details
for Automatic
Sliding
Mounted on
Glass**

1 Arm Non Fin Type Spider




Ordering Code : **XL - C 6026**
Reference Code : 9140777
Finish : Electro Polished
Material : SS 316
Maximum Facade : 15 mm
Thickness


Plan



Section



Glass Preparation for Facade Glass :




Cut-out Details
for
Spider

Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm


2 Arm 180° Spider - Non Fin Type

DORMA XL - C®




Ordering Code : **XL - C 6027**
 Reference Code : 9140778
 Finish : Electro Polished
 Material : SS 316
 Maximum Facade : 15 mm
 Thickness


Plan



Section



Glass Preparation for Facade Glass :



$$A = (200 - X) / 2$$

Note : X = Silicon Gap

Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm

**Cut-out Details
for
Spider**

AFFORDABLE

AVAILABLE


SAFE

RELIABLE

FUNCTIONAL


77

2 Arm 90° Spider - Non Fin Type




Ordering Code : **XL - C 6028**
Reference Code : 9140779
Finish : Electro Polished
Material : SS 316
Maximum Facade : 15 mm
Thickness


Plan



Section



Glass Preparation for Facade Glass :



Note : X = Silicon Gap


Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm

Cut-out Details
for
Spider


4 Arm 180° Spider - Non Fin Type

DORMA XL - C®




Ordering Code : **XL - C 6029**
 Reference Code : 9140780
 Finish : Electro Polished
 Material : SS 316
 Maximum Facade : 15 mm
 Thickness


Plan



Section



Glass Preparation for Facade Glass :




Note : X = Silicon Gap

Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm


**Cut-out Details
for
Spider**

1 Arm Spider - Fin Type




Ordering Code : **XL - C 6030**
Reference Code : 9140764
Finish : Electro Polished
Material : SS 316
Maximum Facade : 15 mm
Thickness

Plan - Option 1




Plan - Option 2



Glass Preparation for Facade Glass :


Option - 1

Glass Inserted to the Wall



Option - 2

Glass not Inserted to the Wall



Note : X = Silicon Gap


Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm

Cut-out Details
for
Spider


2 Arm 90° Spider - Fin Type

DORMA XL - C®




Ordering Code : **XL - C 6031**
 Reference Code : 9140765
 Finish : Electro Polished
 Material : SS 316
 Application : Façade to wall
 Maximum Facade Thickness : 15 mm

Plan - Option 1




Plan - Option 2



Glass Preparation for Facade Glass :

Option - 1


Glass Inserted to the Wall



Note : X = Silicon Gap

Option - 2

Glass not Inserted to the Wall




Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm


**Cut-out Details
for
Spider**

2 Arm 180° Spider - Fin Type




Ordering Code : **XL - C 6032**
Reference Code : 9140766
Finish : Electro Polished
Material : SS 316
Application : Fin to Façade
Maximum Façade : 15 mm
Thickness
Maximum Fin : 19.52 mm
Thickness

Plan




Glass Preparation for Façade Glass :




$A = [(90 + 90 + 3 + \text{FIN THK}) - X] / 2$


Elevation



Glass Preparation for Façade Fins :



Fixed Bolts



Articulated Bolts

Note : X = Silicon Gap


Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm

Cut-out Details
for
Spider


4 Arm Spider - Fin Type

DORMA XL - C®




Ordering Code : **XL - C 6033**
 Reference Code : 9140767
 Finish : Electro Polished
 Material : SS 316
 Application : Fin to Façade
 Maximum Façade : 15 mm
 Thickness
 Maximum Fin : 19.52 mm
 Thickness


Plan




Glass Preparation for Façade Glass :



Elevation



Glass Preparation for Façade Fins :




Fixed Bolts

$$A = [(90 + 90 + 3 + \text{FIN THK}) - X] / 2$$

$$B = (200 - X) / 2$$

Note : X = Silicon Gap



Articulated Bolts

Glass Hole :

S.No	Bolts Description	Hole Dia
1	Fixed Bolt	22 mm
2	Articulated Bolt	32 mm

**Cut-out Details
for
Spider**

AFFORDABLE

AVAILABLE


SAFE

RELIABLE

FUNCTIONAL


83

Splice Plate




Ordering Code : **XL - C 6034**
Reference Code : 9140770
Finish : Electro Polished
Material : SS 316
Size : 300 x 50 x 8 mm
Max. Fin Thickness : 15 mm
Max. Fin Width : 350 mm

Fixed Bolt



Glass Preparation for Fin Fins :




Fixed Bolt

Cut-out Details
for
Spider


Fixed Bolt

DORMA XL - C®




Ordering Code : **XL - C 6035**
Reference Code : 9140771
Finish : Electro Polished
Material : SS 316
Max. Facade : 15 mm
Thickness


Section



Tempered Glass




Laminated Glass




**Cut-out Details
for
Spider**

Articulated Bolt




Ordering Code : **XL - C 6036**
Reference Code : 9140772
Finish : Electro Polished
Material : SS 316
Max. Facade : 15 mm
Thickness


Section



Tempered Glass



Laminated Glass




Cut-out Details
for
Spider

NOTES

NOTES

NOTES

NOTES



DORMA PRO 
Your Professional Channel Store

DI - 9170202 - 04/2014