

Design with Style...

A Complete Railing Solution





SHRI CHIMANBHAI HAPANI
FOUNDER



Corporate House



Production Unit

Kich Architectural Products Pvt. Ltd. is Rajkot based India's leading manufacturer in the Premium segment of Architectural Hardware, Glass Fittings, Furniture Fittings, Bathroom Accessories, Railing Systems & Digital Safes. With a vision to deliver superior quality and long lasting durability in Architectural Products category, Kich was established as an export oriented unit in the year 1992. Although having a very humble beginning, Kich grew at a very fast pace due to unmatched quality and unique craftsmanship of its products.

Since inception, Kich has always fulfilled global quality parameters. Kich Architectural Products are the epitome of enduring strength, stunning aesthetics, unique designs and impeccable functionality. With a vast network of more than 57+ product galleries, 2 application centers, 600+ dealers and a team of more than 70 marketing executives across the country, Kich has always been able to deliver uncompromised pre and post sales service support to its customers. Besides being well-rooted in India, Kich has a vast sales and service network in Europe, Middle East and Africa.

With the splendid guidance of its founder Shri Chimanbhai Hapani and under the dynamic leadership of his three sons Mr. Bharat Hapani (Managing Director), Mr. Nitin Hapani (Director: Manufacturing) and Mr. Dinesh Hapani (Director: Export), Kich has always been able to achieve extraordinary progress with customer delight.

To suit its production objectives, Kich operates from a state-of-the-art manufacturing facility which spreads in more than 2,50,000 sq. ft. area in Rajkot. Due to an in-house Design Studio, Tool Room, R&D Division and Product Testing Facility, Kich has succeeded in consistency of product performance. Kich also has multi-facility Corporate House spread across more than 40,000 sq. ft. area which is rewarded with LEED India New Construction (NC) GOLD Rating by Indian Green Building Council (IGBC). This Corporate House empowers Kich to manage its entire pre and post sales service network with a great ease.



NATIONAL AWARD

Kich is the first Indian company to win the National Award for best quality in the premium architectural products category. His Excellency, The Former President of India, Dr A. P. J. Abdul Kalam honoured Kich with this prestigious award.



ASIA'S MOST PROMISING BRAND

Kich has been selected as Asia's Most Promising Brand in architectural hardware products category for its innovative marketing strategies, tremendous growth and brand recall. Asia's Most Promising Brands exhibit a research-based listing of the most promising brands across Asia. Research is executed by World Consulting & Research Corporation (WCRC) and ibrand 360. To increase the authenticity, KPMG plays role in process evaluation.



INDIA DESIGN MARK

Kich's Handrail and Baluster Systems as well as Mortice Handles are first such products to get India Design Mark popularly known as I Mark. It is a certification granted by India Design Council, a National Strategic Body for multi-disciplinary Design in India, to those products which have high aesthetic design value, superior user potential, world-class quality and environment-friendly composition.



AL- FUTTAIM EXOVA

Kich's Handrail and Baluster Systems have been successfully tested by Al Futtai Exova Testing (AFE) - Façade Testing & Advisory Services Division of Exova Group at Dubai in accordance with ASTM E 935-00, ASTM E 985-00 and ASTM E 2353-06 American Standards for Concentrated Load Test, Uniformly Distributed Load Test and Shot Bag Impact Test.



INDIAN POWER BRAND

Kich is the first company selected as Indian Power Brand in architectural products' category by Indian Council for Market Research. Indian Power Brand is a research driven anthology listing out most powerful Indian companies, which are successfully taking on and beating their global competitors in their unique ways.



IGBC MEMBER

Kich is the first member of IGBC (Indian Green Building Council) in the premium architectural products' category to promote the green building movement in India. An application of Kich Product contributes towards valuable 4 LEED points for green building project certification, because all the Kich products are crafted from raw material, which is recycled as well as recyclable.



**Shri Chimanbhai Hapani receiving
NATIONAL AWARD for BEST QUALITY from His Excellency,
The President of India,
Dr. A.P.J. Abdul Kalam at New Delhi**



STAR - BRAND

Kich is the first Indian company selected as Star Brand in the premium architectural products category As a conclusion of pan India research of the Indian Council for Market Research (ICMR) on the most impact creating brands of the country Kich was honoured with the status of Star Brand.




GAI AFFILIATE

Kich is an affiliate member of the Guild of Architectural Ironmongers (GAI) UK. Being an affiliate member of GAI signifies that Kich follows professional standards of quality. It also signifies that Kich has high technical expertise of manufacturing and up-to-date knowledge of ironmongery industry.




Side Bracket Railing System with Glass (**DS1-1-GLS**)



Top Bracket to Hold Glass

Grade	Code	End Cap Ø
S.S.316	DS1U- GLS	32
S.S.304	ABS1U-GLS	30
Glass Thickness : 12 to 17.52		



Side Bracket

Grade	Code	Base Plate	End Cap Ø
S.S.316	DS1- GLS	-	32
S.S.304	ABS1-GLS	-	30
Glass Thickness : 12 to 17.52			

All sizes are mentioned in mm


 Corrosion Resistance

Available Finishes	
Satin	Glossy
✓	

Look for **KIEH** Logo on each product.




Side Mounted Spacer System with Glass - Ø38mm (**DS3-1-GLS**) & Ø50mm (**DS2-1-GLS**)




Side Glass Space - Ø 38

Grade	Code	Base Plate
S.S.316	DS3-GLS	-
S.S.304	ABS3-GLS	
Glass Thickness : 12 to 17.52		



Side Glass Space - Ø 50

Grade	Code	Base Plate
S.S.316	DS2-GLS	-
S.S.304	ABS2-GLS	
Glass Thickness : 12 to 17.52		



Top Bracket to Hold Glass

Grade	Code	Base Plate
S.S.316	DS1U-GLS	32
S.S.304	ABS1U-GLS	30
Glass Thickness : 12 to 17.52		

All sizes are mentioned in mm

 Corrosion Resistance


Available Finishes

Satin	Glossy
✓	

Look for **KICH** Logo on each product.



Top Mounted Round Baluster System with Glass - Ø42.4mm (DT15-1-GLS) & Ø50mm (DT12-1-GLS)




**Top Mounted Round Baluster
with Glass Bracket**

Grade	Code	Base Plate
S.S.316	DT15- GLS	S.S. 316
S.S.304	ABT223-1-GLS	S.S. 202
Glass Thickness : 12 to 17.52		



**Top Mounted Round Baluster
with Double Glass Bracket**

Grade	Code	Base Plate
S.S.316	DT15- DGLS	S.S. 316
S.S.304	ABT223-1-DGLS	S.S. 202
Glass Thickness : 10 to 17.52		



**Side Mounted Round Baluster
with Glass Bracket**

Grade	Code	Base Plate
S.S.316	DT15-1-GLS	S.S. 316
S.S.304	ABT223-1-DGLS	S.S. 304
Glass Thickness : 10 to 17.52		


Available Finishes	
Satin	Glossy
✓	

All sizes are mentioned in mm

 Corrosion Resistance




Top Mounted Round Baluster System With Horizontal Members - Ø 42.4mm (DT15-1-163) & Ø50mm(DT12-1-163)




Top Mounted Round Baluster with Horizontal Members

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT15-1- 163	S.S.316	1.5
S.S.304	ABT223-1-163	S.S.316	1.2
Horizontal Members : Ø 16/19 mm			



Top Mounted Round Baluster with Horizontal Members

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT15-1- 164	S.S.316	1.5
S.S.304	ABT223-1-164	S.S.316	1.2
Horizontal Members : Ø 16/19 mm			



Side Mounted Round Baluster with Horizontal Members

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT15-1- 163	S.S.316	1.5
S.S.304	ABT223-1-163	S.S.304	1.2
Horizontal Members : Ø 16/19 mm			


Available Finishes	
Satin	Glossy
✓	

All sizes are mentioned in mm

 Corrosion Resistance




Top Mounted Square Baluster System With Glass - 40x40x1.5mm (DT31-1-GLS)




Top Mounted Square Baluster with Glass Bracket

Grade	Code	Base Plate
S.S.316	DT31-1-GLS	S.S.316
S.S.304	ABT241-1-GLS	S.S.202
Glass Thickness : 10 to 17.52		



Top Mounted Square Baluster with Double Glass Bracket

Grade	Code	Base Plate
S.S.316	DT31-1-GLS	S.S.316
S.S.304	ABT241-1-DGLS	S.S.202
Glass Thickness : 10 to 17.52		



Side Mounted Square Baluster with Glass Bracket

Grade	Code	Base Plate
S.S.316	DS31-1-GLS	S.S.316
S.S.304	ABS241-1-GLS	S.S.304
Glass Thickness : 10 to 17.52		

Available Finishes

Satin	Glossy
✓	


All sizes are mentioned in mm

 Corrosion Resistance

Look for **KICH** Logo on each product.




Top Mounted Square Baluster System With Horizontal Members - 40x40x1.5mm **(DT31-1-163)**




Top Mounted Square Baluster with Horizontal Members

Grade	Code	Base Plate
S.S.316	DS31-1-163	S.S.316
S.S.304	ABT241-1-163	S.S.202
Horizontal Members : Ø 16/19 mm		
Horizontal Members Pipe Thickness : 1.5 mm		



Top Mounted Square Baluster with Horizontal Members

Grade	Code	Base Plate
S.S.316	DT31-1-164	S.S.316
S.S.304	ABT241-1-164	S.S.202
Horizontal Members : Ø 16/19 mm		
Horizontal Members Pipe Thickness : 1.5 mm		



Side Mounted Square Baluster with Horizontal Members

Grade	Code	Base Plate
S.S.316	DS31-1-163	S.S.316
S.S.304	ABS241-1-163	S.S. 304
Horizontal Members : Ø 16/19 mm		
Horizontal Members Pipe Thickness : 1.5 mm		


Available Finishes	
Satin	Glossy
✓	

All sizes are mentioned in mm

 Corrosion Resistance




Top Mounted Rectangle Baluster System with Glass - 20x40x1.5mm (DT21-2-DGLS)



Top Mounted Rectangle Baluster with Glass Baluster

Grade	Code	Base Plate
S.S.316	DT21-1-GLS	S.S.316
S.S.304	-	-
Horizontal Members : 10 to 17.52		



Top Mounted Rectangle Baluster with double Glass Baluster


Grade	Code	Base Plate
S.S.316	DT21-2-DGLS	S.S.316
S.S.304	-	-
Horizontal Members : 10 to 17.52		

All sizes are mentioned in mm


 Corrosion Resistance

Available Finishes	
Satin	Glossy
✓	

Look for **KICH** Logo on each product.




Top Mounted Rectangle Baluster System with Horizontal Members - 20x40x1.5mm (DT21-1-163)



**Top Mounted (Rectangle) Baluster
with Horizontal Members**

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT21-1-163	S.S.316	1.5
S.S.304	-	-	1.2
Horizontal Members : Ø 16/19 mm			



**Top Mounted (Rectangle) Baluster
with Horizontal Members**

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT21-1-164	S.S.316	1.5
S.S.304	-	-	1.2
Horizontal Members : Ø 16/19 mm			

Available Finishes


Satin	Glossy
✓	

All sizes are mentioned in mm

 Corrosion Resistance



Top Mounted Flat Baluster System with Glass - 10x50mm (DT52-3-GLS)



Top Mounted Flat Baluster with Glass Bracket

Grade	Code	Base Plate
S.S.316	DT52-3-GLS	S.S.316
S.S.304	ABT261-3-GLS	S.S.202
Glass Thickness: 10 to 17.52		

Top Mounted Flat Baluster with Double Glass Bracket

Grade	Code	Base Plate
S.S.316	DT52-3-DGLS	S.S.316
S.S.304	ABT261-3-DGLS	S.S.202
Glass Thickness: 10 to 17.52		

Top Mounted Flat Baluster with Double Glass Bracket

Grade	Code	Base Plate
S.S.316	DT52-2-DGLS	S.S.316
S.S.304	ABT261-3-DGLS	S.S.202
Glass Thickness: 10 to 17.52		

Side Mounted Flat Baluster with Glass Bracket

Grade	Code	Base Plate
S.S.316	DS52-3-GLS	S.S.316
S.S.304	ABS261-3-GLS	S.S.202
Glass Thickness: 10 to 17.52		

Available Finishes

Satin	Glossy
✓	


All sizes are mentioned in mm

Corrosion Resistance

Look for **KICH** Logo on each product.




Top Mounted Flat Baluster System with Horizontal Members -10x50mm (DT53-2-163)




Top Mounted Flat Baluster with Horizontal Members

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT53-2-163	S.S.316	1.5
S.S.304	ABT262-2-163	S.S.202	1.2
Horizontal Members : Ø 16/19 mm			



Top Mounted Flat Baluster with Horizontal Members

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT53-2-164	S.S.316	1.5
S.S.304	ABT262-2-164	S.S.202	1.2
Horizontal Members : Ø 16/19 mm			



Side Mounted Flat Baluster with Horizontal Members

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DS53-2-163	S.S.316	1.5
S.S.304	ABS262-2-163	S.S.202	1.2
Horizontal Members : Ø 16/19 mm			

All sizes are mentioned in mm


Corrosion Resistance

Available Finishes	
Satin	Glossy
✓	

Look for **KICH** Logo on each product.




Top Mounted Flat (Hollow) Baluster System with Glass - 10x50x1.5mm **(DT22-3-GLS)**



**Top Mounted Flat (Hollow)
Baluster with Glass Bracket**

Grade	Code	Base Plate
S.S.316	DT22-3-GLS	S.S.316
S.S.304	-	-

Horizontal Members : 10 to 17.52



**Top Mounted Flat (Hollow)
Baluster with Double Glass Bracket**

Grade	Code	Base Plate
S.S.316	DT22-3-DGLS	S.S.316
S.S.304	-	-


Horizontal Members : 10 to 17.52

Available Finishes


Satin	Glossy
✓	

All sizes are mentioned in mm

 Corrosion Resistance




Top Mounted Flat (Hollow) Baluster System with Horizontal Members - 10x50x1.5mm **(DT22-2-163)**



**Top Mounted (Hollow) Baluster
with Horizontal Members**

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT22-2-163	S.S.316	1.5
S.S.304	-	-	-

Horizontal Members : Ø 16/19 mm



**Top Mounted Flat (Hollow) Baluster
with Horizontal Members**

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	DT22-2-164	S.S.316	1.5
S.S.304	-	-	-

Horizontal Members : Ø 16/19 mm


Available Finishes

Satin	Glossy
✓	


All sizes are mentioned in mm

Corrosion Resistance

Look for **KICH** Logo on each product.




Top Mounted Flat (Short Bracket) System with Glass - 10x50x210mm-For Balcony Area, **(DT2-1-GLS)** & 10x50x325mm For Stair Case **(DT5-1-GLS)**




Top Bracket to Hold Glass

Grade	Code	End Cap Ø
S.S.316	DS1U-GLS	32
S.S.304	ABS1U-GLS	30
Glass Thickness : 12 to 17.52		



Top Mounted Flat Short Bracket

Grade	Code	Base Plate
S.S.316	DS2-GLS	S.S.316
S.S.304	ABT2-GLS	S.S.202
Glass Thickness : 12		



Top Mounted Flat Short Bracket

Grade	Code	Base Plate
S.S.316	DT5-GLS	S.S.316
S.S.304	ABT5-GLS	S.S.202
Glass Thickness : 12		


Available Finishes

Satin	Glossy
✓	


All sizes are mentioned in mm

Corrosion Resistance

Look for **KICH** Logo on each product.




Top Mounted Flat (Short Bracket) System With Glass - 12x40x125mm For Balcony Area (**DT4-1-GLS**)



Top Bracket to Hold Glass

Grade	Code	Base Plate
S.S.316	DS1U-GLS	32
S.S.304	ABS1U-GLS	30
Glass Thickness : 12 to 17.52		



Top Mounted Flat Short Bracket


Grade	Code	Base Plate
S.S.316	DS1U-GLS	S.S.316
S.S.304	ABST4-GLS	S.S.202
Glass Thickness : 12 to 17.52		

All sizes are mentioned in mm

Corrosion Resistance




Wall Mounted Handrail



Grade	Code
S.S.316	DW1-1
S.S.304	AW201-2



Wall Mounted Handrail



Grade	Code	Wall Bracket Thickness
S.S.316	DW1-2	1.5
S.S.304	AW201-2	1.2

Available Finishes


Satin	Glossy
✓	

All sizes are mentioned in mm

 Corrosion Resistance




Trolley Guard



Grade	Code
S.S.316	DT16
S.S.304	ABT16



Bollard




Grade	Code
S.S.316	DT14
S.S.304	ABT1U

All sizes are mentioned in mm

 Corrosion Resistance




Top Mounted Square (Short) Baluster System With Glass - 40x40x450x1.5mm (DT32-1-GLS)



Top Bracket to Hold Glass

Grade	Code	End Cap Ø
S.S.316	DS1U-GLS	32
S.S.304	ABS1U-GLS	30
Glass Thickness : 12 to 17.52		



Top Mounted Square Short Baluster with Glass Bracket

Grade	Code	Base Plate
S.S.316	DT32-GLS	S.S.316
S.S.304	ABT242-GLS	S.S.202
Glass Thickness : 12 to 17.52		

Available Finishes

Satin	Glossy
✓	


All sizes are mentioned in mm

 Corrosion Resistance

Look for **KICH** Logo on each product.




Top Mounted Flat (Short) Baluster System With Glass - 10x50x450mm (DT55-1-GLS)



Top Bracket to Hold Glass

Grade	Code	End Cap Ø
S.S.316	DT1U-GLS	32
S.S.304	ABSTU-GLS	30
Glass Thickness : 12 to 17.52		



Top Mounted Flat Short Baluster with Glass Bracket

Grade	Code	Base Plate
S.S.316	DT55-GLS	S.S.316
S.S.304	ABT265-GLS	S.S.202
Glass Thickness : 12 to 17.52		

All sizes are mentioned in mm

Corrosion Resistance

Available Finishes	
Satin	Glossy
✓	


Look for **KICH** Logo on each product.




Top Mounted Aluminum Channel System - Aluminum Finish (**DTA71-GLS**)
(Block Cover System)

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Standard Qty Order	On Standard Qty Order

Available Length of Channel & Handrail : 16 ft




Glass Thickness : 12 to 13.52



Top Mounted Aluminum Channel System - Wooden Finish (**DTA71-GLS-W**)
(Block Cover System)

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Standard Qty Order	On Standard Qty Order

Available Length of Channel & Handrail : 16 ft



Glass Thickness : 12 to 13.52

All sizes are mentioned in mm

Corrosion Resistance



Top Mounted Oval Shape Continue Aluminum Channel System
(DTA81-GLS) (Continue System)

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Standard Qty Order	On Special Qty Order

Available Length of Channel & Handrail : 16 ft



Glass Thickness : 12



Top Mounted Flat Block Aluminum System **(DTA85-GLS) (Block System)**

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Standard Qty Order	On Standard Qty Order




Glass Thickness : 12


All sizes are mentioned in mm

 Corrosion Resistance

Look for **KICH** Logo on each product.




Top Mounted Rectangle Aluminum System **DTA93-GLS / DTA91-GLS**
(Block Cover System)




Glass Thickness : 12 to 13.52

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Standard Qty Order	On Special Qty Order


Available Length of Channel & Handrail : 16 ft



Glass Thickness : 12 to 13.52




Top Mounted Solid Aluminum System **DTA92-GLS (Continue System) / DSA92-GLS (Block Cover System)**



Glass Thickness : 12 to 17.52

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Special Qty Order	On Special Qty Order

Available Length of Channel & Handrail : 16 ft




Glass Thickness : 12 to 17.52

All sizes are mentioned in mm

 Corrosion Resistance


Look for **KIEH** Logo on each product.




Top Mounted Solid Aluminum System **DTA95-GLS (Continue System)**

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Standard Qty Order	On Special Qty Order

Available Length of Channel & Handrail : 16 ft




Glass Thickness : 12 to 17.52



Top Mounted Hollow Aluminum System **DTA100-GLS (Continue System)**

Silver Finish Powder Coating	Grey Metallic Finish Powder Coating
On Special Qty Order	On Special Qty Order

Available Length of Channel & Handrail : 12 ft
















Glass Thickness : 12 to 17.52







All sizes are mentioned in mm







 Corrosion Resistance

Available Variants of Handrails

			
			
Taper Handrail - 80x35mm HRT80x35		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Special Quantity Order







			
			
Rectangle Handrail - 64x44mm HRA64x44		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Special Quantity Order







			
			
Oval Handrail - 65x40mm HRO65x40		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Special Quantity Order







			
			
Square Handrail - 50x50mm HRA50x50		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Special Quantity Order







Note: Available Handrail size : 16 ft • Glass Thickness : 12 to 17.52mm

Available Variants of Handrails

	 UCA27x25 Handrail	 WC27x25 Wall Cap	 EC27x25 End Cap
	 LC27x25 90° Connector	 SC27x25 180° Connector	
U Channel - 27x25mm UCA27x25		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Special Quantity Order


	 UCA35x25 Handrail	 WC35x25 Wall Cap	 EC35x25 End Cap
	 LC35x25 90° Connector	 SC35x25 180° Connector	
U Channel - 35x25mm UCA35x25		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Special Quantity Order

	 HRA42 Handrail	 WC42 Wall Cap	 EC42 End Cap
	 LC42 90° Connector	 SC42 180° Connector	
Round Handrail - 42mm HRA42		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Standard Quantity Order

	 HRA50 Handrail	 WC50 Wall Cap	 EC50 End Cap
	 SC50 180° Connector	 HRA50 90° Bend	
Round Handrail - 50mm HRA50		Silver Finish Powder Coating On Standard Quantity Order	Grey Metallic Finish Powder Coating On Standard Quantity Order


Note: Available Handrail size : 16 ft • Glass Thickness : 12 to 17.52mm

ELITE SERIES - Premium Range Products



Top Bracket to Hold Glass


Grade	Code	End Cap Ø
S.S.316	PDS1U- GLS	32
S.S.304	-	-
Glass Thickness : 12 to 17.52		



100 X 60 X 8 BASE PLATE
WITH HOLES & COVER CAP

Top Mounted Flat Short Bracket


Grade	Code	Base Plate
S.S.316	PDT2- GLS	S.S.316
S.S.304	-	-
Glass Thickness : 12		



100 X 60 X 8 BASE PLATE
WITH HOLES & COVER CAP

Top Mounted Flat Short Bracket

Grade	Code	Base Plate
S.S.316	PDT5- GLS	S.S.316
S.S.304	-	-
Glass Thickness : 12		



100 X 60 X 8MM BASE PLATE
WITH HOLES & COVER CAP

Top Mounted Flat Short Bracket

Grade	Code	Base Plate
S.S.316	PDT4- GLS	S.S.316
S.S.304	-	-
Glass Thickness : 12		

Available PVD Finishes



Available Finishes


Satin	Glossy
✓	

All sizes are mentioned in mm

Corrosion Resistance

Look for **KICH** Logo on each product.


ELITE SERIES - Premium Range Products



Top Bracket to Hold Glass

Grade	Code	End Cap Ø
S.S.316	PDS1U- GLS	32
S.S.304	-	-


Glass Thickness : 12 to 17.52



Side Glass Bracket

Grade	Code	Base Plate
S.S.316	PDS1- GLS	-
S.S.304	-	-


Glass Thickness : 12 to 17.52



Glass Spacer

Grade	Code	Base Plate
S.S.316	PDS2- GLS	-
S.S.304	-	-

Glass Thickness : 12 to 17.52



Glass Spacer

Grade	Code	Base Plate
S.S.316	PDS3- GLS	-
S.S.304	-	-

Glass Thickness : 12 to 17.52



Available Finishes



Satin	Glossy
✓	

All sizes are mentioned in mm

Corrosion Resistance


Look for **KICH** Logo on each product.

Eco Series - S.S.304 Economy Products




Top Mounted Round Short Bracket

Grade	Code	Base Plate
S.S.316	-	-
S.S.304	EABT224-GLS	S.S. 304
Glass Thickness : 12		




Top Mounted Flat Short Bracket

Grade	Code	Base Plate
S.S.316	-	-
S.S.304	EABT6-GLS	S.S. 304
Glass Thickness : 12		



Top Mounted Flat Short Bracket

Grade	Code	Base Plate
S.S.316	-	-
S.S.304	EABT7-GLS	S.S. 304
Glass Thickness : 12		



Top Mounted Flat Short Bracket

Grade	Code	Base Plate
S.S.316	-	-
S.S.304	EABT8-GLS	S.S. 304
Glass Thickness : 12		


Available Finishes

Satin	Glossy
✓	

All sizes are mentioned in mm


 Corrosion Resistance

Eco Series - S.S.304 Economy Products




Top Mounted Round Balusters with Double Glass Bracket

Grade	Code	Base Plate
S.S.316	-	-
S.S.304	EABT221-1-DGLS	S.S. 202
Glass Thickness : 12 to 17.52		




Top Mounted Square Balusters with Horizontal Members

Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	-	-	1.5
S.S.304	EABT221-1-163	S.S. 202	
Horizontal Members : Ø16/19mm			



Top Mounted Square Balusters with Double Glass Horizontal Members

Grade	Code	Base Plate
S.S.316	-	-
S.S.304	EABT241-1-DGLS	S.S. 304
Glass Thickness : 12 to 17.52		



Top Mounted Square Balusters with Horizontal Members


Grade	Code	Base Plate	Horizontal Members Pipe Thickness
S.S.316	-	-	1.5
S.S.304	EABT241-1-163	S.S. 304	1.2
Horizontal Members : Ø16/19mm			

Available Finishes	
Satin	Glossy
✓	


All sizes are mentioned in mm

 Corrosion Resistance


Handrail Accessories




MWCC-42.4/50 (S.S.316)
AMWCC-42.4/50 (S.S.304)
Wall Cover Cap




MWFHR-42.4 (S.S.316)
AMWHR-42.4 (S.S.304)
Wall Flange for Handrail




MPCHR-42.4/50 (S.S.316)
AMPCHR-42.4/50 (S.S.304)
Two Pipe Connector




M90HRB-42.4/50 (S.S.316)
AM90HRB-42.4/50 (S.S.304)
90 Degree Bend for Handrail




MBHRS-42.4/50 (S.S.316)
AMBHR-42.4/50 (S.S.304)
Smooth Bend for Handrail




MRP-42.4/50 (S.S.316)
Metal Thickness 1.5mm
AMRP-42.4/50 (S.S.304)
Metal Thickness 1.2mm
Round Pipe for Handrail (12ft)



MSB-42.4/50 (S.S.316)
AMSB-42.4/50 (S.S.304)
Starting Pipe for Handrail



MECHR-42.4/50 (S.S.316)
AMECHR-42.4/50 (S.S.304)
Handrail End cap




DGLS (S.S.316)
ADGLS (S.S.304)
Double Glass Bracket




HRD-M10x100
(GI) Anchor Bolt


Horizontal Members Accessories



MFBHM-16/19
AMFBHM-16/19
Flexible Bend



MRP-16/19 (S.S.316)
Metal Thickness 1.5mm
AMRP-16/19 (S.S.304)
Metal Thickness 1.2mm
Round Pipe for Horizontal Member (12ft)



MECHM-16/19
AMECHM-16/19
End Cap



MPCHM-16/19
AMPCHM-16/19
Two Pipe Connector



LOCTITE

Note: All drawings are given accordingly Ø 42.4 Handrail and 16mm Horizontal

Tailor Made Railing System



Feasibility depend on Bulk Qty only

Few of Our Prestigious Projects



Kartarpur Corridor - Gurdaspur



Reliance Twin Tower - Mumbai



L&T Crescent Bay - Mumbai



NRDA (Naya Raipur Development Authority) - Raipur



Vadodra International Airport - Vadodra



Acropolis Mall - Kolkata



HCL - Chennai



JW Marriott Hotel - Kolkata



IIM - Raipur



Parliament House - Delhi



Tata Consultancy Services - Trivandrum



Indira Gandhi Medical College - Shimla




BJP Headquarter, Central office - Delhi



Nalanda University - Nalanda



Pragati Maidan - Delhi



JSCA International Stadium Complex - Ranchi



Zydus Hospital - Ahmedabad



Sabarmati Riverfront - Ahmedabad



Gujarat Vidhan Sabha (Sachivalaya) - Gandhinagar



Police Bhawan - Lucknow



IDA-Indore Development Authority - Indore



IIT - Gandhinagar



Rajkot Bus Port

Few of Our Prestigious Overseas Projects



Customs House (Mauritius)



Naguru Skyz (Uganda)



Dar-es-salaam International Airport (Tanzania)



Seychelles International Airport (Seychelles)

Features



Weld-free complete modular system



Quality and Cost conscious systems compared to on-site fabrication.



Minimal Maintenance



Aesthetically appealing due to non-corrosive stainless steel.



1.5mm Metal Thickness



Stainless Steel is the best value option as it is "green material".



HILTI (GI) Anchor Bolt for better strength



Adapts well to strict Hygiene requirements of hospitals, laboratories etc

Our Esteemed Clients



KICH®

STEEL... FOR LIFE

Kich Architectural Products Pvt. Ltd.

Rajkot - Gondal NH - 27, Vavdi, Rajkot - 360 004 (Gujarat), India.

Tel : +91-74900 39316/17, E-mail : sales@kichindia.com

www.kichrailing.com Helpline : +91 99795 10898

Customer Care - E-mail : railing@kichindia.com

Follow us on :      

Disclaimer:

The Visuals/Specification / drawings of the products shown and other information in this catalogue are subject to change and Kich reserves the right to make such amendments without notice.

Scan to Get KICH mobile app
or download from



Google play

Available on the
App Store

Hardware Products | Glass Fitting | Furniture Fitting | Bathroom Accessories | Railing System | Digital Safe